© Cop	erial Compositio byright 2005. IPC, Bar ational and Pan-Amer	nnockburi	n, Illinois. A	ll rights reserved utions.	under both	This docume level parts, t	ent is a declar he declaration	ation of th encompa	e substance asses all low	within the materi	anufacture als for wh	er listed ite nich the ma	m. Note: nufacture	if the item is an as r has engineering	sembly with lower responsibility.	
					Form Type Distribute	e * Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					us Materia	ials and Mfg Information				
Supplier Information																
Company name*			Company unique ID			-	Unique ID Authority					Response Date*				
onsemi												2023-06-12				
Contact Name			Title - Contact				Phone - Contact*				Email - Contact*					
Product-Env-Stewards			Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com					
Authorized Representative*			Title - Representative			Phone - Representative*				Email - Representative*						
Product-Env-Stewards			Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com					
Requester Item Nu	Requester Item Number Mfr Item		Number Mfr Item Name				Effective Da	te Versi	ion	Manufacturing Site		W	eight*	UOM	Unit Type	
	K.	KA78L05AIMTF		V-REG 5V 0.1A 5%			2023-06-12			KR3		50	.916	mg	Each	
Manufacturing Procces	ss Information											<u>i</u>				
Terminal Plating / Grid Array Material Termin			minal Base A	nal Base Alloy J-STD-020 MSL		L Rating	Peak Process Body Temperatu		ure Max Time at Peak Temp		Temperatu	e Num	ber of Reflow Cyd	eles		
Matte Tin (Sn) - annealed CU Alloy			Alloy		1		260		С	30		second	3 3			
Comments																
level 1 - maximum time at pe	eak temperature dur	ing solde	ring is 10-30	) seconds												
For more information regard	ding material compo	sition ple	ease refer to	page 3												

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	(Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).											
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all							
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	stislav Drska	Le										

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).										
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure		
Die	0.469	mg	Supplier	Silicon (Si)	7440-21-3		0.469	mg		
Die Attach	0.089	mg	Supplier	Silver (Ag)	7440-22-4		0.0676	mg		
			Supplier	Phenolic Resin-2	54208-63-8		0.0214	mg		
Lead Frame	23.745	mg	Supplier	Silver (Ag)	7440-22-4		0.114	mg		
			Supplier	Iron (Fe)	7439-89-6		0.024	mg		
			Supplier	Copper (Cu)	7440-50-8		23.6	mg		
			Supplier	Phosphorus (P)	7723-14-0		0.007	mg		
Mold Compound-Black	26.116	mg	Supplier	2,6-dibromo-4-[1-(3-bromo-4- hydroxyphenyl)-1-methylethyl]phenol	6386-73-8		0.783	mg		
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		3.78	mg		
			В	Antimony Trioxide (Sb2O3)	1309-64-4		0.653	mg		
			Supplier	Carbon Black (C)	1333-86-4		0.261	mg		
			Supplier	Fused Silica (SiO2)	60676-86-0		20.639	mg		
Plating	0.472	mg	Supplier	Tin (Sn)	7440-31-5		0.472	mg		
Wire Bond - Au	0.025	mg	Supplier	Gold (Au)	7440-57-5		0.025	mg		

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted)