

| Title of Change: | QFN 6X6 NCP3232NMNTXG, NCP3235MNTXG, NCP3233MNTXG, NCP3230MNTXG, NCP5369MNR2G, NCP5369MNTWG, NCP5369NMNTXG Change in Bond Wire from 1.3mil Gold to 1.3mil Palladium-Coated Copper Wire | | |
|---|---|--|--|
| Proposed First Ship date: | 25 Sep 2021 or earlier if approved by customer | | |
| Contact Information: | Contact your local ON Semiconductor Sales Office or Wayne.Cheng@onsemi.com | | |
| PCN Samples Contact: | Contact your local ON Semiconductor Sales Office or < <u>PCN.samples@onsemi.com></u> . Sample requests are to be submitted no later than 30 days from the date of first notification, Initial PCN or Final PCN, for this change. Samples delivery timing will be subject to request date, sample quantity and special customer packing/label requirements. | | |
| Additional Reliability Data: | Contact your local ON Semiconductor Sales Office or MohdAzizi.Azman@onsemi.com | | |
| Type of Notification: | This is a Final Product/Process Change Notification (FPCN) sent to customers. FPCNs are issued 90 days prior to implementation of the change. ON Semiconductor will consider this change accepted, unless an inquiry is made in writing within 30 days of delivery of this notice. To do so, contact <u>PCN.Support@onsemi.com</u> | | |
| Marking of Parts/ Traceability of Change: | The affected products will be identified with date code | | |
| Change Category: | Assembly Change | | |
| Change Sub-Category(s): | Material Change | | |
| Sites Affected: | | | |
| | | | |

| ON Semiconductor Sites | External Foundry/Subcon Sites |
|-------------------------------------|-------------------------------|
| ON Semiconductor Seremban, Malaysia | None |

Description and Purpose:

This final notification announces the change in Bond Wire from 1.3mil Gold to 1.3mil Palladium-Coated Copper Wire for QFN 6X6 NCP3232NMNTXG, NCP3233MNTXG, NCP3230MNTXG, NCP5369MNR2G, NCP5369MNTWG, NCP5369NMNTXG.

| | Before Change Description | After Change Description |
|-----------|---|---|
| Bond Wire | 1.3mil Gold Wire (Part # B50607A075) | 1.3mil Pd-Coated Copper Wire (Part # N40363E016) |

There is no product marking change as a result of this change.

ON Semiconductor®



Reliability Data Summary:

QV DEVICE NAME: <u>NCP3232NMNTXG</u> RMS: <u>072276</u>

PACKAGE: OFN 6x6 401

| PACKAGE: <u>QFN 6x6 40L</u> | | | | |
|-----------------------------|---------------------|--|----------|----------|
| Test | Specification | Condition | Interval | Results |
| HTSL | JESD22-A103 | Ta= 150°C | 1008 hrs | 0/356 |
| тс | JESD22-A104 | Ta= -65°C to +150°C | 1000 сус | 0/392 |
| HAST | JESD22-A110 | 130°C, 85% RH, 18.8psig, bias | 192 hrs | 0/392 |
| uHAST | JESD22-A118 | 130°C, 85% RH, 18.8psig, unbiased | 96 hrs | 0/336 |
| РС | J-STD-020 JESD-A113 | 3 IR @ 260 deg C | | All Pass |
| SAT | | Compare for Delamination before and after PC | | 0/88 |
| SD | JSTD002 | Ta = 245C | | 0/60 |

Electrical Characteristics Summary:

Electrical characteristics are not impacted.

List of Affected Parts:

Note: Only the standard (off the shelf) part numbers are listed in the parts list. Any custom parts affected by this PCN are shown in the customer specific PCN addendum in the PCN email notification, or on the **PCN Customized Portal**.

| Part Number | Qualification Vehicle |
|---------------|-----------------------|
| NCP5369NMNTXG | NCP3232NMNTXG |
| NCP5369MNTWG | NCP3232NMNTXG |
| NCP5369MNR2G | NCP3232NMNTXG |
| NCP3230MNTXG | NCP3232NMNTXG |
| NCP3233MNTXG | NCP3232NMNTXG |
| NCP3235MNTXG | NCP3232NMNTXG |
| NCP3232NMNTXG | NCP3232NMNTXG |



Appendix A: Changed Products

| Product | Customer Part Number | Qualification Vehicle | New Part Number | Replacement Supplier |
|---------------|----------------------|-----------------------|-----------------|----------------------|
| NCP5369MNR2G | | NCP3232NMNTXG | NA | |
| NCP3232NMNTXG | | NCP3232NMNTXG | NA | |
| NCP3230MNTXG | | NCP3232NMNTXG | NA | |