ASSOCIATION CONNECTING LECTROMICS INDUSTRIES® International and Pan-Amer	nnockburn, Illinois. A	Il rights reserved untions.	under both	This docume level parts, th	ent is a declaration the declaration	ion of the su encompasse	ubstances s all lower	within the manufacture relation of the manufacture relation of the materials for which we have a set of the manufacture of the	urer listed which the	item. Note: manufacture	if the item is an as r has engineering	ssembly with low responsibility.	
	IPC Web Site for Information on IPC-1752 Standard Form Typ http://www.ipc.org/IPC-175x Distribute			* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materia				rials and N	als and Mfg Information				
upplier Information													
Company name* Company unique ID				Unique ID Authority					Response Date*				
mi									2023-0	2023-06-08			
Contact Name	ame Title - Contact				Phone - Contact*				Email ·	Email - Contact*			
Product-Env-Stewards	act-Env-Stewards Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com					
thorized Representative* Title - Representative				Phone - Representative*				Email - Representative*					
Product-Env-Stewards Product Enviro Compliance					NA				Produ	Product-Env-Stewards@onsemi.com			
Requester Item Number M	fr Item Number	Mfr Item Name			Effective Date	Version	N	Manufacturing Site		Weight*	UOM	Unit Type	
Cl	PH5905G-TL-E	5905G-TL-E NCH J-FET+BIP			2023-06-08		0	CNG		13.98	mg	Each	
Ianufacturing Proccess Information					-								
Terminal Plating / Grid Array Material	aterial Terminal Base Alloy J-		J-STD-020 MSL	Rating	Peak Proc	cess Body Temperature Max Time at Peak		k Tempera	Temperature Number of Reflow Cycles		cles		
contains Bi CU Alloy 1		1		260		С	30	seco	nds 3				
omments													
vel 1 - maximum time at peak temperature dur	ing soldering is 10-3	0 seconds											
or more information regarding material compo	sition please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed					
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DIP).									
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of					
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted					
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all					
Exemption List Version	EL-2011/534/EU									
Declaration Signature										
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the					
Supplier Digital Signature Ra	stislav Drska	Le								

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.17	mg	Supplier	Silicon (Si)	7440-21-3		0.17	mg
Lead Frame	6.81	mg	Supplier	Silver (Ag)	7440-22-4		0.1641	mg
			Supplier	Zinc (Zn)	7440-66-6		0.0129	mg
			В	Nickel (Ni)	7440-02-0		0.0279	mg
			Supplier	Iron (Fe)	7439-89-6		0.1716	mg
			Supplier	Copper (Cu)	7440-50-8		6.4239	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0095	mg
Mold Compound-Black	6.6	mg		Brominated epoxy resin	proprietary data		0.0495	mg
			Supplier	Epoxy Phenol Resin	Proprietary Data		0.4818	mg
			В	Antimony Trioxide (Sb2O3)	1309-64-4		0.132	mg
			Supplier	Carbon Black (C)	1333-86-4		0.0495	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		5.2272	mg
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		0.66	mg
Plating	0.36	mg	В	Bismuth (Bi)	7440-69-9		0.0022	mg
			Supplier	Tin (Sn)	7440-31-5		0.3578	mg
Wire Bond - Au	0.04	mg	Supplier	Gold (Au)	7440-57-5		0.04	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).