Product-Env-Stewards Requester Item Number Mfr Item Number Mfr Item Name Effective Date Version Manufacturing Site Weight*			
Company name* Company unique ID Company unique I	rds@onsemi.com		
nsemi ontact Name Title - Contact Product Enviro Compliance Title - Representative* Title - Representative Product Enviro Compliance NA Product Enviro Compliance Product Enviro Compliance Product Enviro Compliance Product Enviro Compliance NA Product Enviro Compliance NA Product Enviro Compliance Requester Item Number Mfr Item Number Mfr Item Name Effective Date Version Manufacturing Site Weight* KA2803B Earth Leakage Detector 2023-06-08 TAD 478.247	rds@onsemi.com		
Title - Contact Product-Env-Stewards Product Enviro Compliance Phone - Contact* Phone - Contact* Product-Env-Stewards Product-Env-Stewards Phone - Representative* Product-Env-Stewards Prod	rds@onsemi.com		
Product Enviro Compliance Unthorized Representative* Title - Representative Product Enviro Compliance Product-Env-Stewards Product-Env-Stewards Product Enviro Compliance Requester Item Number Mfr Item Number Mfr Item Name Effective Date Version Manufacturing Site Weight* Weight*	rds@onsemi.com		
Title - Representative* Product-Env-Stewards Product Enviro Compliance Requester Item Number Mfr Item Number Mfr Item Name Effective Date Version Manufacturing Site Weight* KA2803B Earth Leakage Detector 2023-06-08 TAD 478.247	rds@onsemi.com		
Product-Env-Stewards Requester Item Number Mfr Item Number Mfr Item Name Effective Date Version Manufacturing Site Weight* KA2803B Earth Leakage Detector 2023-06-08 TAD 478.247			
Requester Item Number Mfr Item Number Effective Date Version Manufacturing Site Weight* KA2803B Earth Leakage Detector 2023-06-08 TAD 478.247	Email - Representative*		
KA2803B Earth Leakage Detector 2023-06-08 TAD 478.247	Product-Env-Stewards@onsemi.com		
	UOM Unit Type		
Janufacturing Process Information	mg Each		
	er of Reflow Cycles		
Figure 1 m (bh) aimearta CC 1 moj Fig. C DV Second D			
omments			
or more information regarding material composition please refer to page 3			

RoHS Material Composition Declaration			Declaration Type *	Detail	ed					
Directive 2015/863/EU amending RoHS Directive 2011/65/EU RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledges and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusivesource of the Supplier's Standard Terms andConditions of Sale applicable to such part shall apply.										
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substar	nces per the definition above	Supplier A	cceptance *	Accepted					
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.										
Exemption List Version	EL-2011/534/EU									
Declaration Signature										
		e "Accepted" on the Supplier Acceptance	drop-down. This will display the signature a	rea. Digitally sign t	the declaration (if required by the					

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	1.6	mg	Supplier	Silicon (Si)	7440-21-3		1.6	mg
Die Attach	3.0	mg		Epoxy resin	proprietary data		0.3	mg
			Supplier	Silver (Ag)	7440-22-4		2.4	mg
			Supplier	Formaldehyde Polymer	9003-36-5		0.3	mg
Lead Frame	137.787	mg	Supplier	Silver (Ag)	7440-22-4		1.3503	mg
			Supplier	Zinc (Zn)	7440-66-6		0.1653	mg
			Supplier	Iron (Fe)	7439-89-6		3.238	mg
			Supplier	Copper (Cu)	7440-50-8		133.0058	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0276	mg
Mold Compound-Black	320.81	mg		Epoxy resin	proprietary data		22.4567	mg
			Supplier	Phenolic Resin	Proprietary Data		8.0203	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		24.0608	mg
			Supplier	Carbon Black (C)	1333-86-4		1.604	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		256.648	mg
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		8.0202	mg
Plating	9.05	mg	Supplier	Tin (Sn)	7440-31-5		9.05	mg
Wire Bond - Au	6.0	mg	Supplier	Gold (Au)	7440-57-5		6	mg