ABBOGIATION CONNECTING ELECTRONICE INDUSTRIES® INCLUSTRIES®	burn. Illinois. All rights reserve	ed under both	This docume level parts, th	ent is a declaration e	on of the subs ncompasses a	stances wit Il lower le	thin the manufacture evel materials for wh	er listed iter hich the mar	n. Note: if th nufacturer ha	e item is an as s engineering i	sembly with lower responsibility.
IPC Web Site for Information on http://www.ipc.org/IPC-175x	IPC Web Site for Information on IPC-1752 Standard Form Typ http://www.ipc.org/IPC-175x Distribute			Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materia				als and Mfg Information			
Supplier Information											
Company name*	any name* Company unique ID			Unique ID Authority				Response Date*			
onsemi								2023-06-08			
Contact Name	Title - Contact]]	Phone - Contact*				Email - Contact*				
Product-Env-Stewards	Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com			
Authorized Representative*	rized Representative* Title - Representative			Phone - Representative*				Email - Representative*			
Product-Env-Stewards	Product Enviro Compliance	iance		NA			Product-Env-Stewards@onsemi.com				
Requester Item Number Mfr Iter	n Number Mfr Item Nan	Mfr Item Name		Effective Date	Version	Mai	Manufacturing Site		eight*	UOM	Unit Type
MAX80	3SQ293T1G ANA 2.93V N	ICROPROC RESE	Т	2023-06-08 N		MY	MY1)	mg	Each
Manufacturing Proccess Information				·							
Terminal Plating / Grid Array Material	Terminal Base Alloy	J-STD-020 MSI	Rating	Peak Proce	ess Body Temperature Max Time at Peak		Temperature Number of Reflow Cycles		les		
Matte Tin (Sn) - annealed	Matte Tin (Sn) - annealed CU Alloy 1			260	C	2	30	seconds	3		
Comments											
evel 1 - maximum time at peak temperature during so	oldering is 10-30 seconds										
For more information regarding material composition	please refer to page 3										

RoHS Material Composition Declaration				Declaration Type *	Detailed				
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	oHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead b), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl nthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).								
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of				
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted					
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.									
Exemption List Version	EL-2011/534/EU								
Declaration Signature									
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the				
Supplier Digital Signature Ra	stislav Drska	Le							

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.1	mg	Supplier	Silicon (Si)	7440-21-3		0.1	mg
Die Attach	0.15	mg	Supplier	Silver (Ag)	7440-22-4		0.1125	mg
			Supplier	Epoxy resins	129915-35-1		0.0375	mg
Lead Frame 1	1.93	mg	В	Nickel (Ni)	7440-02-0		0.7392	mg
			Supplier	Iron (Fe)	7439-89-6		1.021	mg
			Supplier	Copper (Cu)	7440-50-8		0.1698	mg
Mold Compound-Black	3.7	mg		Epoxy resin	proprietary data		0.185	mg
			Supplier	Phenolic Resin	Proprietary Data		0.185	mg
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.074	mg
			Supplier	Carbon Black (C)	1333-86-4		0.0185	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		3.2375	mg
Plating	0.11	mg	Supplier	Tin (Sn)	7440-31-5		0.11	mg
Wire Bond - Au	0.01	mg	Supplier	Gold (Au)	7440-57-5		0.01	mg