© Copyr	ial Composition right 2005. IPC, Bann onal and Pan-America	ockburn, Illinois. A	ll rights reserved untions.	Inder both This de level p	ocument arts, the	is a declaration en	on of the sub- ncompasses a	stances v Ill lower	vithin the manufactur level materials for wh	er listed i hich the n	tem. Note:	if the item is an as r has engineering	ssembly with lower responsibility.
				Form Type * Distribute					ials and Mfg Information				
Supplier Information													
Company name*	Company un	Company unique ID			Unique ID Authority				Response Date*				
onsemi									2023-06-08				
Contact Name	Title - Conta	Title - Contact			Phone - Contact*				Email - Contact*				
Product-Env-Stewards	Product Envi	Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com				
Authorized Representative*	Title - Repres	Title - Representative			Phone - Representative*			Email - Representative*					
Product-Env-Stewards	Product Envi	Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com				
Requester Item Nun	Requester Item Number Mfr Item		n Number Mfr Item Name		Ef	fective Date	Version	М	Manufacturing Site		Weight*	UOM	Unit Type
	NCF	NCP81255MNTXG Industrial Tempe Voltage Regulato		rature Range Single Pha	ase 20	023-06-08	-08 PH1		,	72.97	mg	Each	
Manufacturing Proccess	Information												
Terminal Plating / Grid Array Material		Terminal Base	erminal Base Alloy J-STD-020 MSI		2	Peak Proce	ak Process Body Temperatu		ure Max Time at Peak Tempera		ure Num	ber of Reflow Cy	cles
Matte Tin (Sn) - annealed CU A			Alloy 3			260 C 30		seconds 3					
Comments													
ATTENTION: MSL 3 Rated it	tem requires Bake ai	nd Dry Pack (after	electrical test)										
For more information regarding	ng material composit	tion please refer to	page 3										

RoHS Material Composition Declaration				Declaration Type *	Detailed					
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).									
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on informationprovided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, itsuppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier is lability and the Company's remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Supplier's Standard Terms andConditions of Sale applicable to such part shall apply.										
RoHS Declaration * 4 - Item(s) does not contain RoHS restricted subst	ances per the definition above except for sele	ected exempt	ions Supplier Acceptance	* Accepted					
Exemption: 7a: Lead in high melting temp	erature type solders (i.e. lead based sol	der alloys containing 85% by weight or m	ore lead).							
Exemption List Version	EL-2011/534/EU									
Declaration Signature										
Instructions: Complete all of the required Requester) and click on Submit Form to h			e drop-dowi	a. This will display the signature area. Digita	lly sign the declaration (if required by the					
Supplier Digital Signature	astislav Drska	Le								

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	geneous Material Weight Unit of Measure Level		Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	3.7	mg	Supplier	Silicon (Si)	7440-21-3		3.7	mg
Die Attach Solder	4.63	mg	Supplier	Silver (Ag)	7440-22-4		0.1158	mg
			А	Lead (Pb)	7439-92-1	7a	4.2828	mg
			Supplier	Tin (Sn)	7440-31-5		0.2315	mg
Lead Frame	24.66	mg	Supplier	Silver (Ag)	7440-22-4		0.4932	mg
			Supplier	Tin (Sn)	7440-31-5		0.0616	mg
			Supplier	Zinc (Zn)	7440-66-6		0.0543	mg
			Supplier	Chromium (Cr)	7440-47-3		0.0616	mg
			Supplier	Copper (Cu)	7440-50-8		23.9892	mg
Mold Compound-Black	35.95	mg		Epoxy resin	proprietary data		1.6896	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		3.595	mg
			Supplier	Carbon Black (C)	1333-86-4		0.036	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		28.9398	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		1.6896	mg
Plating	3.01	mg	Supplier	Tin (Sn)	7440-31-5		3.01	mg
Wire Bond - Au	1.02	mg	Supplier	Gold (Au)	7440-57-5		1.02	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).