IPC ASSOCIATION CONNECTION ELECTRONICS INDUSTRIE	Material Compos © Copyright 2005. IPC international and Pan-	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.				This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lowel parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.											
752-21.1		IPC Web Site for Information on IPC-1752 Standard Form Typ http://www.ipc.org/IPC-175x Distribute				Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater						erials and M	ials and Mfg Information				
Supplier Inform	nation																
Company name* Company				ompany unique ID			Unique ID Authority					Respons	Response Date*				
onsemi													2023-06-08				
Contact Name			Title - Contact]	Phone - Contact*					Email -	Email - Contact*				
Product-Env-Stew	ards	Product Enviro Compliance				NA					Produc	Product-Env-Stewards@onsemi.com					
Authorized Representative* Ti				Title - Representative			Phone - Representative*				Email -	Email - Representative*					
Product-Env-Stew	ards	Product Enviro Compliance				NA				Produc	Product-Env-Stewards@onsemi.com						
Request	er Item Number	NCV7683DQR2G		tem Number Mfr Item Name			Effective Da	ffective Date Version		Manufacturing Site		7	Weight*		UOM	Unit Type	
				Octal LED DRV Sequencing			2023-06-08	PHG		1	154.621		mg	Each			
Janufacturing	Process Information	on						<u>'</u>									
Terminal	Plating / Grid Array Material		Terminal Base Alloy J		J-STD-020 M	D-020 MSL Rating		Peak Process Body Temperatur		ire Max Time at Peak Tempe		ak Temperat	ture Number of Reflow Cycles		les		
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)			CU Alloy 3		3		260		C	30 sec		secon	ds 3	3			
Comments																	
ATTENTION: MS	L 3 Rated item requires	Bake and D	Pry Pack (after	r electrical test)													
or more informati	on regarding material co	omposition	please refer to	page 3													

RoHS Material Composition Declaration			Declaration Type *	Detail	ed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).											
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on informationprovided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies of Supplier's Standard Terms and Conditions of Sale applicable to such part shall apply.											
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substar	nces per the definition above	Supplier A	cceptance *	Accepted						
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.											
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
		e "Accepted" on the Supplier Acceptance	drop-down. This will display the signature a	rea. Digitally sign t	the declaration (if required by the						

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	4.23	mg	Supplier	Silicon (Si)	7440-21-3		4.23	mg
Die Attach	0.879	mg	Supplier	Silver (Ag)	7440-22-4		0.6593	mg
			Supplier	Epoxy resins	129915-35-1		0.2198	mg
Lead Frame	64.67		Supplier	Zinc (Zn)	7440-66-6		0.0647	mg
			Supplier	Iron (Fe)	7439-89-6		1.4874	mg
			Supplier	Copper (Cu)	7440-50-8		63.0532	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0647	mg
Mold Compound-Black	83.88			Epoxy resin	proprietary data		6.291	mg
			Supplier	Phenolic Resin	Proprietary Data		2.097	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		6.291	mg
			Supplier	Carbon Black (C)	1333-86-4		0.4194	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		68.7816	mg
Plating	0.602		Supplier	Palladium (Pd)	7440-05-3		0.0464	mg
			В	Nickel (Ni)	7440-02-0		0.5496	mg
			Supplier	Gold (Au)	7440-57-5		0.006	mg
Wire Bond - Au	0.36	mg	Supplier	Gold (Au)	7440-57-5		0.36	mg