ABBOCHATION CONNECTING ELECTRANCE WOULSTRIES® COPYLIGHT 2005. IPC, Bannocl international and Pan-American	burn, Illinois. All rights	s reserved under both	This docume level parts, t	ent is a declara he declaration	ation of the su encompasses	bstances s all lower	within the manufacture r level materials for wh	er listed ite nich the ma	m. Note: if the second se	he item is an as: as engineering i	sembly with lower responsibility.	
IPC Web Site for Information on http://www.ipc.org/IPC-175x	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute			Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					als and Mfg Information			
Supplier Information												
mpany name* Company unique ID			1	Unique ID Authority				Response Date*				
onsemi	semi				2023-06-08							
Contact Name	ntact Name Title - Contact			Phone - Contact*				Email - Contact*				
Product-Env-Stewards Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
uthorized Representative* Title - Representative]	Phone - Representative*				Email - Representative*				
Product-Env-Stewards	Product Enviro Comp	uct Enviro Compliance			NA				Product-Env-Stewards@onsemi.com			
Requester Item Number Mfr Ite	n Number Mfr Iter	Mfr Item Name		Effective Dat	te Version	N	Manufacturing Site		veight*	UOM	Unit Type	
FAN56	N5624UMPX Linear LED Drive			2023-06-08		Т	TH2	3.	575	mg	Each	
Manufacturing Proccess Information	L									I		
Terminal Plating / Grid Array Material	Terminal Base Alloy	J-STD-020	0 MSL Rating	Peak Pro	Process Body Temperature Max Time at Peak		Temperature Number of Reflow Cycles		les			
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)	CU Alloy	1	1		260 C		30	second	inds 3			
Comments		· · · · · · · · · · · · · · · · · · ·										
evel 1 - maximum time at peak temperature during s	dering is 10-30 second	ds										
for more information regarding material composition	please refer to page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed					
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl ohthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).									
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of					
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted					
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all					
Exemption List Version	EL-2011/534/EU									
Declaration Signature										
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the					
Supplier Digital Signature Ra	stislav Drska	Le								

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Weight Unit of Measure Level Substance		CAS	Exempt	Weight	Unit of Measure	
Die	0.459	mg	Supplier	Silicon (Si)	7440-21-3		0.459	mg
Die Attach Epoxy	0.116	mg		Epoxy resin	proprietary data		0.0348	mg
			Supplier	Diethylene glycol monoethyl ether acetate	112-15-2		0.0406	mg
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		0.0406	mg
Lead Frame	0.932	mg	Supplier	Zinc (Zn)	7440-66-6		0.001	mg
			Supplier	Iron (Fe)	7439-89-6		0.022	mg
			Supplier	Copper (Cu)	7440-50-8		0.908	mg
			Supplier	Phosphorus (P)	7723-14-0		0.001	mg
Mold Compound-Black	1.98	mg	Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.396	mg
			Supplier	Carbon Black (C)	1333-86-4		0.02	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		1.465	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.099	mg
Plating	0.041	mg	Supplier	Palladium (Pd)	7440-05-3		0.004	mg
			В	Nickel (Ni)	7440-02-0		0.036	mg
			Supplier	Gold (Au)	7440-57-5		0.001	mg
Wire Bond - Au	0.047	mg	Supplier	Gold (Au)	7440-57-5		0.047	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).