ASSOCIATION CONNECTING LECTRONICS INDUSTRIES® INDUSTRIES® INTERNATIONAL AND ADDRESS	annockburn, Illinois. A	All rights reserved u ntions.	nder both	This docume level parts, t	ent is a declarat he declaration of	ion of the sul encompasses	bstances w all lower	vithin the manufactur level materials for wh	er listed it hich the m	em. Note: i anufacture	f the item is an as r has engineering	sembly with lower responsibility.	
	IPC Web Site for Information on IPC-1752 Standard Form http://www.ipc.org/IPC-175x Distri			e * Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materia					als and Mi	als and Mfg Information			
Supplier Information													
Company name* Company unique ID				Unique ID Authority				Response Date*					
onsemi									2023-06-08				
Contact Name	t Name Title - Contact			1	Phone - Contact*				Email - Contact*				
Product-Env-Stewards	roduct-Env-Stewards Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com					
Authorized Representative* Title - Representative				Phone - Representative*				Email - Representative*					
Product-Env-Stewards Product Enviro Con			• Compliance		NA			Product-Env-Stewards@onsemi.com					
Requester Item Number M	Afr Item Number	Mfr Item Name			Effective Date	Version	М	Manufacturing Site		Weight*	UOM	Unit Type	
N	MAX810LTRG	810LTRG ANA 4.63V MCRO		Г	2023-06-08	023-06-08 MY1		Y1	8	3.14	mg	Each	
Manufacturing Proccess Information													
Terminal Plating / Grid Array Material	Terminal Base Alloy		J-STD-020 MSL	Rating	Peak Proc	ess Body Te	s Body Temperature Max Time at Peak		Temperat	ure Numb	per of Reflow Cyc	eles	
Matte Tin (Sn) - annealed CU Alloy		1		260		С	30	secon	ds 3				
Comments													
level 1 - maximum time at peak temperature du	ring soldering is 10-3	30 seconds											
For more information regarding material comp	osition please refer to	o page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed					
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).									
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of					
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted					
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all					
Exemption List Version	EL-2011/534/EU									
Declaration Signature										
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the					
Supplier Digital Signature Ra	stislav Drska	Le								

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).									
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	0.16	mg	Supplier	Silicon (Si)	7440-21-3		0.16	mg	
Die Attach	0.18	mg	Supplier	Epoxized Condensate Of Para- Hydrobenzaldehyde And Alkyl Phenol	129915-35-1		0.117	mg	
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		0.063	mg	
Lead Frame	2.75	mg	Supplier	Silver (Ag)	7440-22-4		0.4895	mg	
			Supplier	Zinc (Zn)	7440-66-6		0.0033	mg	
			Supplier	Iron (Fe)	7439-89-6		0.0646	mg	
			Supplier	Copper (Cu)	7440-50-8		2.1926	mg	
Mold Compound-Black	4.9	mg		Epoxy resin	proprietary data		0.245	mg	
			Supplier	Phenolic Resin	Proprietary Data		0.245	mg	
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.098	mg	
			Supplier	Carbon Black (C)	1333-86-4		0.0245	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		4.2875	mg	
Plating	0.14	mg	Supplier	Tin (Sn)	7440-31-5		0.14	mg	
Wire Bond - Au	0.01	mg	Supplier	Gold (Au)	7440-57-5		0.01	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).