



Product/Process Change Notice - PCN 13_0309 Rev. -

Analog Devices, Inc. Three Technology Way Norwood, Massachusetts 02062-9106

This notice is to inform you of a change that will be made to certain ADI products (see Material Report). Any issues with this PCN or requirements to qualify the change (additional data or samples) must be sent to ADI within 30 days of publication date. ADI contact information is listed below.

PCN Title: ADL5565 Datasheet Change

Publication Date: 25-Nov-2013

Effectivity Date: 25-Nov-2013 *(the earliest date that a customer could expect to receive changed material)*

Revision Description:

Description Of Change

For a 5 V supply
Changing the enable voltage specification from a typical to a minimum of 1.5 V. Change the disable voltage from a typical of 0.6 V to a max of 0.6 volts.

For a 3.3 V Supply
Changing the enable voltage specficaton from a typical to a minimum of 1.5 V. Change the disable voltage from a typical of 0.5 V to a max of 0.5 volts.

Reason For Change

Customers require the enable and disable logic levels have a minimum and maximum specification.

Impact of the change (positive or negative) on fit, form, function & reliability

No impact on fit, form, function, or reliability of the device.

Summary of Supporting Information

Changes will be reflected in revision E of the datasheet.

Supporting Documents None

For questions on this PCN, send email to the regional contacts below or contact your local ADI sales representative

Americas: PCN_Americas@analog.com

Europe: PCN_Europe@analog.com

Japan: PCN_Japan@analog.com

Rest of Asia: PCN_ROA@analog.com

Appendix A - Affected ADI Models

Added Parts On This Revision - Product Family / Model Number (1)

ADL5565 / ADL5565ACPZ-R7				
--------------------------	--	--	--	--

Appendix B - Revision History

Rev	Publish Date	Effectivity Date	Rev Description
Rev. -	25-Nov-2013	25-Nov-2013	

Analog Devices, Inc.

DocId:2669 Parent DocId:None Layout Rev:7