ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES® MOUSTRIES® MOUSTRIES® MOUSTRIES®	ourn, Illinois, All rights reserved	under both This do	ocument is a decla arts, the declaration	aration of the son encompass	substances es all lowe	within the manufactur er level materials for wl	er listed iten hich the mar	n. Note: if th nufacturer ha	e item is an ass s engineering r	embly with lower esponsibility.	
IPC Web Site for Information on I http://www.ipc.org/IPC-175x	IPC Web Site for Information on IPC-1752 Standard Form Typ http://www.ipc.org/IPC-175x Distributor			Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials				ls and Mfg Information			
Supplier Information											
Company name*		Unique ID Authority				Response Date*					
onsemi							2023-06-08				
Contact Name	Title - Contact		Phone - Co	Phone - Contact*			Email - Contact*				
Product-Env-Stewards	-Env-Stewards Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com			
Authorized Representative* Title - Representative			Phone - Representative*			Email - Representative*					
Product-Env-Stewards	Product Enviro Compliance	o Compliance		NA			Product-Env-Stewards@onsemi.com				
Requester Item Number Mfr Item	Number Mfr Item Name	Mfr Item Name		ate Version	n i	Manufacturing Site		eight*	UOM	Unit Type	
ADP312	0AJRZ-RL 2 12V FET DRV	'R W/OUT DIS	2023-06-08	3		PH1	72.	.0	mg	Each	
Manufacturing Proccess Information											
Terminal Plating / Grid Array Material T	Terminal Base Alloy J-STD-020		g Peak I	Peak Process Body Temperature Ma		re Max Time at Peak	Temperature Number of Reflow Cycles		es		
Matte Tin (Sn) - annealed CU Alloy 1		1	260		С	30	seconds	3			
Comments											
evel 1 - maximum time at peak temperature during sol	dering is 10-30 seconds										
For more information regarding material composition	please refer to page 3										

RoHS Material Composition Declaration				Declaration Type *	Detailed					
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl hthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).									
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of					
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted					
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all					
Exemption List Version	EL-2011/534/EU									
Declaration Signature										
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the					
Supplier Digital Signature Ra	stislav Drska	Le								

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).									
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	1.33	mg	Supplier	Silicon (Si)	7440-21-3		1.33	mg	
Die Attach	2.4	mg		Epoxy resin	proprietary data		0.24	mg	
			Supplier	Ethylene dimethacrylate	97-90-5		0.12	mg	
			Supplier	Silver (Ag)	7440-22-4		1.92	mg	
			Supplier	Formaldehyde Polymer	9003-36-5		0.12	mg	
Lead Frame	37.61	mg	Supplier	Silver (Ag)	7440-22-4		0.7898	mg	
			Supplier	Zinc (Zn)	7440-66-6		0.0752	mg	
			Supplier	Iron (Fe)	7439-89-6		0.9403	mg	
			Supplier	Copper (Cu)	7440-50-8		35.8047	mg	
Mold Compound-Black	28.58	mg		Epoxy resin	proprietary data		1.429	mg	
			Supplier	Phenolic Resin	Proprietary Data		0.5716	mg	
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.7145	mg	
			Supplier	Carbon Black (C)	1333-86-4		0.1429	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		25.722	mg	
Plating	1.89	mg	Supplier	Tin (Sn)	7440-31-5		1.89	mg	
Wire Bond - Au	0.19	mg	Supplier	Gold (Au)	7440-57-5		0.19	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).