|                     | IPC Web Site for Inform http://www.ipc.org/IPC    | 2-175x                   | ard Form Distrib                                 | Type * bute  |                            | nration Class *<br>6 - RoHS Yes/No | o, Homogeneous Materia | als and Mfg Information                                 | on              |           |  |  |
|---------------------|---|--------------------------|--|--------------|----------------------------|------------------------------------|------------------------|---|-----------------|-----------|--|--|
|                     | tion  | Company un               | ·  |              |                            |                                    |                        |   |                 |           |  |  |
| ompany name*        |   | Company un               |  |              |                            |                                    |                        |   |                 |           |  |  |
|                     |   | Company un               | Company unique ID                                |              | Unique ID Authority        |                                    |                        | Response Date*  |                 |           |  |  |
| semi                |   |                          |  |              |                            |                                    |                        |   | 2023-06-08      |           |  |  |
| Contact Name 7      |   |                          | Title - Contact                                  |              | Phone - Contact*           |                                    |                        | Email - Contact*  |                 |           |  |  |
| roduct-Env-Steward  | ls  | Product Envi             | Product Enviro Compliance                        |              | NA                         |                                    |                        | Product-Env-Stewards@onsemi.com                         |                 |           |  |  |
| uthorized Represent | ative*  | Title - Repres           | Title - Representative Product Enviro Compliance |              | Phone - Representative* NA |                                    |                        | Email - Representative* Product-Env-Stewards@onsemi.com |                 |           |  |  |
| roduct-Env-Steward  | ls  | Product Envi             |  |              |                            |                                    |                        |   |                 |           |  |  |
| Requester I         | tem Number  | Mfr Item Number          | Mfr Item Name                                    |              | Effective Date             | Version                            | Manufacturing Site     | Weight*   | UOM             | Unit Type |  |  |
|                     |   | NCV78763MW4R2G           | PWR LED BST/2BCK 1.6A                            | A/60V        | 2023-06-08                 |                                    | PHG                    | 14.8  | mg              | Each      |  |  |
|                     | roccess Information                               |                          | L STD 020  | ) MSL Rating | Pack Proces                | a Pody Tomorot                     | May Time at Deale'     | Tomorowotura Numbe                                      | er of Reflow Cy | alas      |  |  |
|                     |   |                          | 1 J-S1D-020                                      | MSL Rating   | 260                        | ss Body Temperat                   | ure Max Time at Peak   |   | er of Reflow Cy | ries      |  |  |
| •                   | Sn) - annealed                                    | CU Alloy                 | 1  |              | 200                        | IC                                 | 30                     | seconds 3   |                 |           |  |  |
| omments             | e at peak temperature d                           | luming soldoning is 10-2 | O seconds  |              |                            |                                    |                        |   |                 |           |  |  |
|                     | e at peak temperature o<br>regarding material com |                          |  |              |                            |                                    |                        |   |                 |           |  |  |

| RoHS Material Composition Declaration   |   |   | Declaration Type *  | Detail  | ed  |  |  |  |  |
|---|---|---|---|---|---|--|--|--|--|
| Priective 2015/863/EU amending RoHS Directive 2011/65/EU  RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP). |   |   |   |   |   |  |  |  |  |
| cadmium, hexavalentchromium, polybromin contains a RoHS restricted substance inexce encompass all such components. Supplier cet as of the date that Supplier completes this Company acknowledges that Supplier may hindependently verified information provided certification in this paragraph. If the Compan  | nated biphenyls and/or polybrominated diphess of an applicable quantity limit, please indriffes that it gathered the information it provom. Supplier acknowledges that Company wave relied on informationprovided by others of the supplier agrees that, at a minimusy and the Supplier enter into a written agree yesource of the Supplier's liability and the C | enyl ethers (each a "RoHS restricted substan<br>licate below which, if any, RoHS exemption<br>vides in this form using appropriate methods<br>vill rely on this certification in determining the<br>s in completing this form, and that Supplier<br>um, itssuppliers have provided certifications<br>ement with respect to the identified part, the tompany's remedies for issues that arise rega | s of the European Union member states) of the<br>ce") in excess of the applicable quantity limit is<br>you believe may apply. If the part is an assemb<br>to ensure its accuracy and that such informatio<br>e compliance of its products with European Ur<br>may not have independently verified such infor<br>regarding their contributions to the part, and the<br>erms and conditions of that agreement, including<br>information the Supplier provides in this | dentified above. If a<br>ally with lower level<br>in is true and correct<br>tion member state la<br>mation. However, in<br>ose certifications are<br>ag any warranty righ | homogeneous material within the part components, the declaration shall to the best of its knowledge and belief, was that implement the RoHS Directive. In situations where Supplier has not the at least as comprehensive as the lats and/or remedies provided as part of |  |  |  |  |
| RoHS Declaration * 1 - Item   | (s) does not contain RoHS restricted substar  | nces per the definition above   | Supplier A  | cceptance *   | Accepted  |  |  |  |  |
| Exemption: If the declared item does not applicable exemptions.   | contain RoHS restricted substances per t  | he definition above except for defined Rol  | IS exemptions, then select the corresponding  | response in the R   | oHS Declaration above and choose all  |  |  |  |  |
| Exemption List Version  | EL-2011/534/EU  |   |   |   |   |  |  |  |  |
| Declaration Signature   |   |   |   |   |   |  |  |  |  |
|   |   |   |   |   |   |  |  |  |  |
|   |   | e "Accepted" on the Supplier Acceptance   | drop-down. This will display the signature a  | rea. Digitally sign t   | the declaration (if required by the   |  |  |  |  |

## **Homogeneous Material Composition Declaration for Electronic Products**

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

| Homogeneous Material | Weight | Unit of Measure | Level    | Substance           | CAS              | Exempt | Weight | Unit of Measure |
|----------------------|--------|-----------------|----------|---------------------|------------------|--------|--------|-----------------|
| Die                  | 0.25   | mg              | Supplier | Silicon (Si)        | 7440-21-3        |        | 0.25   | mg              |
| Die Attach           | 0.37   | mg              | Supplier | Silver (Ag)         | 7440-22-4        |        | 0.2775 | mg              |
|                      |        |                 | Supplier | Epoxy resins        | 129915-35-1      |        | 0.0925 | mg              |
| Lead Frame           | 5.81   | mg              | Supplier | Silver (Ag)         | 7440-22-4        |        | 0.9877 | mg              |
|                      |        |                 | Supplier | Iron (Fe)           | 7439-89-6        |        | 0.0465 | mg              |
|                      |        |                 | Supplier | Copper (Cu)         | 7440-50-8        |        | 4.7758 | mg              |
| Mold Compound-Black  | 7.0    | mg              |          | Epoxy Phenol Resin  | proprietary data |        | 0.735  | mg              |
|                      |        |                 | Supplier | Fused Silica (SiO2) | 60676-86-0       |        | 6.265  | mg              |
| Plating              | 0.41   | mg              | Supplier | Tin (Sn)            | 7440-31-5        |        | 0.41   | mg              |
| Wire Bond - Au       | 0.96   | mg              | Supplier | Gold (Au)           | 7440-57-5        |        | 0.96   | mg              |