	CONNECTING CS INDUSTRIES (CS INDUSTRIES) (CS INDUSTRIES) (CS INDUSTRIES)	PC, Bannockb	urn, Illinois. A	All rights reserved untions.	inder both	This docume level parts, t	ent is a declara he declaration	tion of encom	f the substances npasses all lowe	within the manufac or level materials fo	turer listed which the	l item. Note: manufacture	if the item is an as er has engineering	ssembly with lowe responsibility.	
1752-21.1	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi					erials and	als and Mfg Information				
Supplie	r Information														
Company name* Company uniq				que ID U			Unique ID Authority				Respo	Response Date*			
onsemi											2023-0	2023-06-08			
Contact N	lame	Title - Contact]	Phone - Contact*				Email	Email - Contact*				
Product-	Env-Stewards		Product Enviro Compliance				NA				Prod	Product-Env-Stewards@onsemi.com			
uthorize	ed Representative*		Title - Representative]	Phone - Representative*				Email	Email - Representative*			
Product-	Env-Stewards	Product Enviro Compliance				NA				Prod	Product-Env-Stewards@onsemi.com				
	Requester Item Number Mfr Item		Number Mfr Item Name				Effective Dat	e Ve	ersion 1	Manufacturing Site		Weight*	UOM	Unit Type	
	QEE123			LED S-LOOK ALGAAS			2023-06-08]	LITEONFG		144.017	mg	Each	
/Ianufa	ecturing Proccess Information	tion													
	Terminal Plating / Grid Array Material		Ferminal Base Alloy J-STD-020 M		J-STD-020 MSI	L Rating	Peak Process Body Temperat		ure Max Time at Peak Temper		ature Num	ber of Reflow Cy	cles		
Matte Tin (Sn) - annealed		U Alloy NA			0 C		30 seco		onds 3						
omments	8														
or more	information regarding material	composition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	tive 2011/65/EU (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP).											
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all							
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	stislav Drska	Le										

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).										
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure		
Die	0.65	mg	Supplier	Silicon (Si)	7440-21-3		0.65	mg		
Die Attach	0.611	mg	Supplier	Silver (Ag)	7440-22-4		0.427	mg		
			Supplier	Phenolic Resin-2	54208-63-8		0.092	mg		
			Supplier	Fused Silica (SiO2)	60676-86-0		0.092	mg		
Lead Frame	90.816	mg	Supplier	Sulfur (S)	7704-34-9		0.725	mg		
			Supplier	Carbon (C)	7440-44-0		3.624	mg		
			Supplier	Silver (Ag)	7440-22-4		0.453	mg		
			Supplier	Manganese (Mn)	7439-96-5		2.084	mg		
			Supplier	Iron (Fe)	7439-89-6		82.174	mg		
			Supplier	Copper (Cu)	7440-50-8		0.216	mg		
			Supplier	Phosphorus (P)	7723-14-0		1.54	mg		
Mold Compound-Black	20.0	mg	Supplier	Phenolic Resin-2	54208-63-8		10	mg		
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		10	mg		
Plating	29.8	mg	Supplier	Tin (Sn)	7440-31-5		29.8	mg		
Wire Bond - Au	2.14	mg	Supplier	Gold (Au)	7440-57-5		2.14	mg		

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signa range of distribution unless otherwise noted).