IPC ASSOCIATION OF ELECTRONICS I	Materia © Copyrig industries*	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.			This docu level parts	This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.								
752-21.1		IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi				ials and Mfg	ials and Mfg Information			
upplier l	Information													
Company name* Company unique ID				ique ID	Unique ID Authority				Response Date*					
onsemi				!							2023-06-08			
Contact Nar	me		Title - Conta	Title - Contact			Phone - Contact*				Email - Contact*			
?roduct-En	ıv-Stewards		Product Env	Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com			
uthorized	Representative*		Title - Repre	Title - Representative			Phone - Representative*			Email - R	Email - Representative*			
Product-Env-Stewards Product Enviro Complia				iro Compliance	nce NA			Pro			Product-Env-Stewards@onsemi.com			
I	Requester Item Number Mfr Ite		Item Number	m Number Mfr Item Name		Effective D	e Date Version Manufacturing Site		W	eight*	UOM	Unit Type		
					R NA; Two phase driver ethod (no speed control)	2023-06-08	РНМ		13	80.0	mg	Each		
Ianufact	turing Process I	nformation												
Т	Terminal Plating / Grid Array Material		Terminal Base	Terminal Base Alloy J-STD-020 MS		Peak Process Body Tempera		dy Temperati	ure Max Time at Peak	Temperatu	re Numb	er of Reflow Cyc	les	
contains Bi		CU Alloy	CU Alloy 3		260	0 C 30		seconds 3						
omments														
<u> TENTIO</u>	N: MSL 3 Rated iter	m requires Bake a	nd Dry Pack (afte	r electrical test)										
or more in	formation regarding	material composi	tion please refer t	page 3										

RoHS Material Composition Declaration			Declaration Type *	Detail	led						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (100 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).											
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its uppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier have provided as part of that agreement, will be the sole and exclusivesource of the Supplier's liability and the Company's remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Supplier's Standard Terms and Conditions of Sale appli											
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substa	ances per the definition above	Supplier Ac	cceptance *	Accepted						
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.											
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructional Complete all of the required	fields on all neggs of this form. Calcut th		a duan dawn. This will display the signature on	a Digitally sign	the declaration (if recruired by the						
Instructions: Complete all of the required Requester) and click on Submit Form to			e drop-down. This will display the signature ar	ea. Digitally sign	the declaration (if required by the						

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	5.19	mg	Supplier	Silicon (Si)	7440-21-3		5.1708	mg
			Supplier	Polyimide	Proprietary Data		0.0192	mg
Die Attach	0.43	mg	Supplier	Silver (Ag)	7440-22-4		0.3289	mg
			Supplier	Epoxy resins	129915-35-1		0.1011	mg
Lead Frame	15.4	mg	Supplier	Zinc (Zn)	7440-66-6		0.0293	mg
			Supplier	Iron (Fe)	7439-89-6		0.3989	mg
			Supplier	Copper (Cu)	7440-50-8		14.9503	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0216	mg
Mold Compound-Black	106.93	mg		Epoxy Phenol Resin	proprietary data		11.7623	mg
			Supplier	Carbon Black (C)	1333-86-4		0.5346	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		48.6532	mg
			Supplier	Silica Crystalline (SiO2)	14808-60-7		45.9799	mg
Plating	1.72	mg	В	Bismuth (Bi)	7440-69-9		0.0103	mg
			Supplier	Tin (Sn)	7440-31-5		1.7097	mg
Wire Bond - Au	0.33	mg	Supplier	Gold (Au)	7440-57-5		0.33	mg