DESIGN/PROCESS CHANGE NOTIFICATION -- FINAL

This is to inform you that a design and/or process change will be made to the following product(s). This notification is for your information and concurrence.

If you require data or samples to qualify this change, please contact **Fairchild Semiconductor** within 30 days of receipt of this notification.

Updated process quality documentation, such as FMEAs and Control Plans, are available for viewing upon request.

If you have any questions concerning this change, please contact:

<u>Technical Contact:</u> Name: Song, Heeyung E-mail: SONGHY@fairchildsemi.co.kr Phone: 82-32-680-1216

<u>PCN Originator:</u> Name: Song, Heeyung E-mail: SONGHY@fairchildsemi.co.kr Phone: 82-32-680-1216

Implementation of change: Expected 1st Device Shipment Date: 2009/01/01

Earliest Year/Work Week of Changed Product: 0901

Change Type Description: Mold Compound

Description of Change (From): SOT-23F-3lead packages assemble with KCC non-green mold compound, KTMC1050TM as shown in Table 1.

Description of Change (To): SOT-23F-3lead packages assemble with KCC green mold compound, KTMC1050GR as shown in Table 2.

Reason for Change : Green initiative by Fairchild Semiconductor. Fairchild Semiconductor is dedicated to being a good corporate citizen. All Fairchild Semiconductor products are 2nd level interconnect lead-free and RoHS compliance. The efferenced material changes have been made to provide a 'Full Green' (Halogen Free Flame Retardant) package. For additional details on the corporate wide green initiative please visit our Web site at:

http://www.fairchildsemi.com/company/green/index.html Manufacturing will occur at the same assembly facilities producing the current non-green products. Package outline drawings of the affected products remain un-changed. Green products will be fully compliant to all published data sheet specifications and will be interchangeable with current non-green product. Quality and reliability will remain at the highest standards already demonstrated with Fairchild's existing products.

Qual/REL Plan Numbers : Q20080302

Qualification :

All reliability tests outlined in Q20080302 qualification plan were successfully completed with no failure detected and meet the requirements for release. As

such,SOT-23F-3 lead packages are qualified to be assembled with green mold compound KTMC1050GR.

Change From

Bill of Materials(Table 1):

Location	AUK_KOREA	
Package	SOT-23F	
Pin count	3-Leads	
Lead frame	Bare Cu(Ag plating)	
Die attach	Eutectic	
Wire	Gold	
EMC	KTMC1050TM (Vendor:KCC)	
Lead Finish	Matte Sn	

Change To

Bill of Materials(Table 2):

Location	AUK_KOREA	
Package	SOT-23F	
Pin count	3-Leads	
Lead frame	Bare Cu(Ag plating)	
Die attach	Eutectic	
Wire	Gold	
EMC	KTMC1050GR (Vendor:KCC)	
Lead Finish	Matte Sn	

Results/Discussion for Qual Plan Number - Q20080302

Test: (Charged Device Model ESD) Conditions: 1000V Standard: JESD22-C101					
Lot	Device	Setpoint	Result	Failure Code	
Q20080302AACDM	KA431SAMF2TF		0/3		
Q20080302ABCDM			0/3		
Q20080302ACCDM			0/3		
Test: (High Temperature Storage Life) Conditions: 150C Standard: JESD22-A103					

Lot	Device	Setpoint	Result	Failure Code
Q20080302AAHTSL	KA431SAMF2TF	168-HOURS	0/77	
		500-HOURS	0/77	
		1000-HOURS	0/77	
Q20080302ABHTSL		168-HOURS	0/77	
		500-HOURS	0/77	
		1000-HOURS	0/77	
Q20080302ACHTSL		168-HOURS	0/77	
		500-HOURS	0/77	
		1000-HOURS	0/77	
Test: (Precondition)	Conditions: Standard:	: JESD22-A113		
Lot	Device	Setpoint	Result	Failure Code
Q20080302AAPCNL1A	KA431SAMF2TF		0/154	
Q20080302ABPCNL1A			0/154	
Q20080302ACPCNL1A			0/154	
Test: (Temperature C	ycle) Conditions: -650	C, 150C Standard:	JESD22-A104	
Lot	Device	Setpoint	Result	Failure Code
Q20080302AATMCL1	KA431SAMF2TF	200-CYCLES	0/77	
		500-CYCLES	0/77	
Q20080302ABTMCL1		200-CYCLES	0/77	
		500-CYCLES	0/77	
Q20080302ACTMCL1		200-CYCLES	0/77	
		500-CYCLES	0/77	
Test: (Temperature H	umidity Biased Test)	Conditions: 85%RH	, 85C, 36V Sta	andard: JESD22-A101
Lot	Device	Setpoint	Result	Failure Code
Q20080302AATHBT	KA431SAMF2TF	168-HOURS	0/77	
		500-HOURS	0/77	
		1000-HOURS	0/77	
Q20080302ABTHBT		168-HOURS	0/77	
		500-HOURS	0/77	
		1000-HOURS	0/77	
Q20080302ACTHBT		168-HOURS	0/77	
		500-HOURS	0/77	
		1000-HOURS	0/77	

Product Id Description : All devices packaged with SOT-23F.

Affected FSIDs :

KA431SAMF2TF	KA431SAMFTF	KA431SLMF2TF
KA431SLMFTF	KA431SMF2TF	KA431SMFTF
LM431SACMFX	LM431SBCMFX	LM431SCCMFX