ABSOCIATION CONNECTING ELECTRODICS INDUSTRIES INCOMPACTING OF INTERNATIONAL AND ADDRESS INDUSTRIES INTERNATIONAL AND ADDRESS A	annockburn.	, Illinois. All	l rights reserved u tions.	nder both	This docume level parts, t	ent is a decla he declaratio	ration of on encomp	the substance passes all lov	es with wer leve	in the manufacture el materials for wh	er listed it hich the m	em. Note anufactu	e: if the i rer has e	tem is an asse ngineering re	embly with lower sponsibility.
	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				*	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg						fg Inforn	nation		
Supplier Information															
Company name* Com			Company unique ID			Unique ID Authority					Response Date*				
onsemi											2023-06-08				
Contact Name Title - Contact					Phone - Contact*					Email - Contact*					
Product-Env-Stewards	roduct Enviro Compliance			NA					Product-Env-Stewards@onsemi.com						
Authorized Representative*	Title - Representative			Phone - Representative*				Email - Representative*							
Product-Env-Stewards	Pr	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com					
Requester Item Number I	Mfr Item Number		Mfr Item Name			Effective Date Version Manufacturing Site		facturing Site	Weight*		τ	JOM	Unit Type		
· · · · · · · · · · · · · · · · · · ·	4AC138MTCX 1-of-8 De		1-of-8 Decod/Der	-8 Decod/Demux		2023-06-08			PH1		4	56.427	r	ng	Each
Manufacturing Proccess Information		L					1								
Terminal Plating / Grid Array Material	Term	ninal Base Al	lloy	J-STD-020 MSL Rating		Peak Process Body T		ody Tempera	perature Max Time at Peak		Temperature Number		mber of l	Reflow Cycle	s
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)		CU Alloy 1		1		260		С	30	30 set		seconds 3			
Comments															
evel 1 - maximum time at peak temperature du	uring solder	ring is 10-30	seconds												
or more information regarding material comp	osition plea	ase refer to	page 3												

RoHS Material Composition Declaration				Declaration Type *	Detailed								
Directive 2015/863/EU amending RoHS Directive 2011/65/EU													
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of								
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted								
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all								
Exemption List Version	EL-2011/534/EU												
Declaration Signature													
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the								
Supplier Digital Signature Ra	stislav Drska	Le											

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.74	mg	Supplier	Silicon (Si)	7440-21-3		0.74	mg
Die Attach	0.084	mg		Epoxy resin	proprietary data		0.0084	mg
			Supplier	Ethylene dimethacrylate	97-90-5		0.0042	mg
			Supplier	Silver (Ag)	7440-22-4		0.0672	mg
			Supplier	Formaldehyde Polymer	9003-36-5		0.0042	mg
Lead Frame	23.228	mg	Supplier	Zinc (Zn)	7440-66-6		0.0279	mg
			Supplier	Iron (Fe)	7439-89-6		0.5459	mg
			Supplier	Copper (Cu)	7440-50-8		22.6473	mg
			Supplier	Phosphorus (P)	7723-14-0		0.007	mg
Mold Compound-Black	31.8	mg		Epoxy resin	proprietary data		1.59	mg
			Supplier	Phenolic Resin	Proprietary Data		0.636	mg
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.795	mg
			Supplier	Carbon Black (C)	1333-86-4		0.159	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		28.62	mg
Plating	0.178	mg	Supplier	Palladium (Pd)	7440-05-3		0.005	mg
			В	Nickel (Ni)	7440-02-0		0.17	mg
			Supplier	Gold (Au)	7440-57-5		0.003	mg
Wire Bond - Au	0.397	mg	Supplier	Gold (Au)	7440-57-5		0.397	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).