




THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.



REVISIONS				
P	LTR	DESCRIPTION	DATE	APVD
C2		REVISED PER ECR-15-009763	30JUN2015	S.W W.H




NOTES:
 1 MATERIAL
 HOUSING: HIGH TEMPERATURE THERMOPLASTICS,
 GLASS FILLED, BLACK, UL94V-0,
 REGRIND 25% MAXIMUM
 CONTACT: COPPER ALLOY
 2 FINISH
 0.76um MINIMUM GOLD ON MATING AREA AND 1.91um
 MINIMUM MATTE TIN (LEAD-FREE) ON SOLDER AREA,
 BOTH OVER 1.27um MIN NICKEL
 3 -A- IS DEFINED AS TOP SURFACE OF HOUSING



SCALE 2:1



SECTION L-L
 SCALE 4:1










SCALE 2:1

PACKAGING	DIM. C	DIM. B	DIM. A	PART NO.
TAPE AND REEL	0.715	0.815	0.69	1735078-3
TAPE AND REEL	0.825	0.925	0.80	1735078-2
TRAY	0.825	0.925	0.80	1735078-1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN WYLEE 15SEP04	STE TE Connectivity	
DIMENSIONS: mm		CHK AP TAY 09MAR2015		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD SF LEONG 09MAR2015	NAME PLUG, SAS 15+7+7P	
0 PLC ±-		PRODUCT SPEC -	SIZE A3	
1 PLC ±-		APPLICATION SPEC -	CAGE CODE -	DRAWING NO C-1735078
2 PLC ±0.15		WEIGHT -	RESTRICTED TO -	
3 PLC ±0.15		CUSTOMER DRAWING	SCALE 2:1	SHEET 1 OF 3
4 PLC ±-				REV C2
ANGLES ±2°				
FINISH				

P		LTR		DESCRIPTION	DATE	DWN	APVD
				SEE SHEET 1			



RECOMMENDED PCB MOUNTING SCALE 2:1

WITHOUT PAD THK=1±0.1
 WITH PAD THK=1.1±0.1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN WYLEE 15SEP04	TE Connectivity	
DIMENSIONS: mm		CHK AP TAY 09MAR2015		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD SF LEONG 09MAR2015	NAME PLUG, SAS 15+7+7P	
0 PLC ±-	1 PLC ±-	PRODUCT SPEC -	APPLICATION SPEC -	
2 PLC ±0.15	3 PLC ±0.15	MATERIAL 1	FINISH 2	
4 PLC ±-	ANGLES ±2°	WEIGHT -		
CUSTOMER DRAWING		SIZE A3	CAGE CODE -	DRAWING NO. C-1735078
SCALE 2:1		SHEET 2 OF 3		REV C2

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

REVISIONS

© COPYRIGHT 20 BY -

ALL RIGHTS RESERVED.

P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1			

Technical drawing showing the main view and detail N of the SAS plug. Dimensions include:

- 5.70 ± 0.30
- 0.5 ± 0.05
- 20 ± 0.20
- 4 ± 0.10
- 2 ± 0.20
- Ø 1.50^{+0.10}₀
- 1.75 ± 0.10
- 47.6 ± 0.30
- Ø 2.00
- 45.73 ± 0.30
- 68.4 ± 0.15
- 72 ± 0.30
- 12.30 ± 0.30
- 13.50 ± 0.30

SEE DETAIL N

USER DIRECTION

NOTE:

- PACKAGING QUANTITY: 800 PCS PER REEL.
- REEL: Ø 380 mm-100 mm HUB.
- GENERAL TOLERANCE: ± 0.5, ± 3°.

DETAIL N
SCALE 8:1

Dimensions for Detail N:

- Ø 1.50^{+0.10}₀
- 0.20

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN WYLEE 15SEP04

CHK AP TAY 09MAR2015

APVD SF LEONG 09MAR2015

PRODUCT SPEC -

APPLICATION SPEC -

WEIGHT -

CUSTOMER DRAWING

STE

TE Connectivity

NAME PLUG, SAS

15+7+7P

-

SIZE A3 CAGE CODE - DRAWING NO. ©-1735078 RESTRICTED TO -

SCALE 3:2 SHEET 3 OF 3 REV C2

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±-
1 PLC	±-
2 PLC	±0.15
3 PLC	±0.15
4 PLC	±-
ANGLES	±2°

MATERIAL

FINISH

-

-

1470-19 (3/13)