muRata Capacitor Data Sheet GCM2195C2A122JA16# "#" indicates a package specification code.					
NRND Power- train 2000 125 Cmax. AEC- 0200 CK Reflow OK Flow OK REACH					
< List of part numbers with package codes > GCM2195C2A122JA16D ,GCM2195C2A122JA16J					
Shape Notes					
Per g e t		Please use replacements or Recommended.			
		References			
		Packaging	Specifications	Minimum quantity	
		D	φ180mm Paper taping	4000	
		J	φ330mm Paper taping	10000	
L size	2.0 ±0.15mm	Mass (typ.)			
W size	1.25 ±0.15mm	1 piece 9.5mg		9.5mg	
T size	0.85 ±0.1mm	φ180mm Reel		152g	
External terminal width e	0.2 to 0.7mm				
Distance between external terminals g	0.7mm min.				
Size code in inch(mm)	0805 (2012M)				

Specifications

Capacitance	1200pF ±5%
Rated voltage	100Vdc
Temperature characteristics (complied standard)	C0G(EIA)
Temperature coefficient	0±30ppm/°C
Temperature range of temperature characteristics	25 to 125°C
Operating temperature range	-55 to 125°C

\rm Attention

This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.
This datasheet has only typical specifications because there is no space for detailed specifications.
Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

