IPC ASSOCIATION ELECTRONIC	© Copyright 2005.	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved un international and Pan-American copyright conventions.			nder both	This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lowel parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.									
752-21.1		IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi				rials and M	ials and Mfg Information				
uppliei	r Information														
Company name*			Company ur	Company unique ID			Unique ID Authority				Respon	Response Date*			
nsemi										2023-06	2023-06-08				
ontact N	ame	Title - Contact			I	Phone - Contact*				Email -	Email - Contact*				
roduct-I	Env-Stewards		Product Enviro Compliance			1	NA				Product-Env-Stewards@onsemi.com				
uthorize	d Representative*	Title - Representative			I	Phone - Representative*				Email -	Email - Representative*				
Product-Env-Stewards			Product Enviro Compliance			1	NA				Produc	Product-Env-Stewards@onsemi.com			
	Requester Item Number Mfr Item Number Mfr Item Name FSB50660SF SPM5 V2 INV 600		em Number Mfr Item Name				Effective Date	ate Version Manufacturing Site			Weight*	UOM	Unit Type		
			0V 0.70hm		2023-06-08 CPA			3355.2	mg	Each					
lanufa	cturing Process Inform		Terminal Base	Alloy	-STD-020 MS	I Pating	Dank Proce	ace Rody T	amparature	May Time at Deal	k Tampara	tura Numb	er of Reflow Cyc	plac	
	, , , , , , , , , , , , , , , , , , ,		CU Alloy NA			L Katilig	Peak Process Body Temperature Max Time a			seconds 3		cies			
omments	·		Alloy		11.3		U		10	150	30001	iuo J			
Jiments)														
r more	information regarding materia	al composition	nlease refer t	n nage 3											

RoHS Material Composition Declaration			Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on informationprovided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier have provided as part of that agreement, will be the sole and exclusivesource of the Supplier's liability and the Company's remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Supplier's Standard Terms and Conditions of Sale appli										
RoHS Declaration * 4 - Item(s) does not contain RoHS restricted substance	es per the definition above except for selected exemp	otions Supplier Acceptance	* Accepted						
Exemption: 7a: Lead in high melting temperature type solders (i.e. lead based solder alloys containing 85% by weight or more lead).										
Exemption List Version	EL-2011/534/EU									
Declaration Signature										
Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.										
Supplier Digital Signature Ra	astislav Drska	-6_								

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	24.0	mg	Supplier	Silicon (Si)	7440-21-3		24	mg
Die Attach	6.0	mg	Supplier	Silver (Ag)	7440-22-4		4.56	mg
			Supplier	Phenolic Resin-2	54208-63-8		1.44	mg
Die Attach Solder	4.8	mg	Supplier	Silver (Ag)	7440-22-4		0.12	mg
			A	Lead (Pb)	7439-92-1	7a	4.44	mg
			Supplier	Tin (Sn)	7440-31-5		0.24	mg
Lead Frame	1370.0	mg	Supplier	Silver (Ag)	7440-22-4		20.002	mg
			В	Nickel (Ni)	7440-02-0		30.003	mg
			Supplier	Iron (Fe)	7439-89-6		1.37	mg
			Supplier	Copper (Cu)	7440-50-8		1318.214	mg
			Supplier	Phosphorus (P)	7723-14-0		0.411	mg
Mold Compound-Black	1890.0	mg	Supplier	2,6-dibromo-4-[1-(3-bromo-4-hydroxyphenyl)-1-methylethyl]phenol	6386-73-8		37.8	mg
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		274.05	mg
			В	Antimony Trioxide (Sb2O3)	1309-64-4		56.7	mg
			Supplier	Carbon Black (C)	1333-86-4		9.45	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		1512	mg
Plating	56.4	mg	Supplier	Tin (Sn)	7440-31-5		56.4	mg
Wire Bond - Cu	4.0	mg	Supplier	Palladium (Pd)	7440-05-3		0.08	mg
			Supplier	Copper (Cu)	7440-50-8		3.92	mg