

## Final Product/Process Change Notification Document #:FPCN23751ZB Issue Date: 28 Mar 2022

Title of Change:	Fabrication Site Transfer from Oudenaarde, Belgium (onsemi 6" Fab Site) to Pocatello Idaho, USA (onsemi 8" Fab Site) [Batch 1]		
Proposed Changed Material First Ship Date:	05 Oct 2022 or earlier if approved by customer		
Current Material Last Order Date:	01 Sep 2021 This date was carried forward from IPCN23751Z.		
	Orders received after the Current Material Last Order Date expiration are to be considered as orders for new changed material as described in this PCN. Orders for current (unchanged) material after this date will be per mutual agreement and current material inventory availability.		
Current Material Last Delivery Date:	04 Oct 2022 The Current Material Last Delivery Date may be subject to change based on build an depletion of the current (unchanged) material inventory		
Product Category:	Active components – Discrete components		
Contact information:	Contact your local onsemi Sales Office or <u>NoorArdila.Shaharuddin@onsemi.com</u>		
PCN Samples Contact:	Contact your local onsemi Sales Office to place sample order. Sample requests are to be submitted no later than 45 days after publication of this change notification. Samples delivery timing will be subject to request date, sample quantity and special customer packing/label requirements.		
Sample Availability Date:	22 Mar 2022		
PPAP Availability Date:	25 Mar 2022		
Additional Reliability Data:	Contact your local onsemi Sales Office or Nicky.Siu@onsemi.com		
Type of Notification:	This is a Final Product/Process Change Notification (FPCN) sent to customers. The change will be implemented at 'Proposed Change Material First Ship Date' in compliance to J-ST 46 or ZVEI, or earlier upon customer approval, or per our signed agreements. onsemi will consider this proposed change and it's conditions acceptable, unless an inquis is made in writing within 45 days of delivery of this notice. To do so, contact PCN.Support@onsemi.com.		
Change Category			
Category	Type of Change		
Process - Wafer Production	Move of all or part of wafer fab to a different location/site/subcontractor, New wafer diameter		
Equipment	Production from a new equipment/tool which uses the same basic technology (replacement equipment or extension of existing equipment pool) without change of process.		

### Description and Purpose:

This final change notification is to inform customers of wafer fab site transfer from Fab2 (BE2) onsemi Oudenaarde, Belgium to Fab 10 (USU) onsemi Pocatello Idaho, USA.

Before Change Description		After Change Description	
Other Changes	Wafer manufacturing in onsemi Oudenaarde, Belgium	Wafer manufacturing in onsemi Pocatello Idaho, United States	
Other Changes	Wafer diameter 6"	Wafer diameter 8"	

Affected parts with this change will be identified by date code.



Reason / Mo	otivation for Change:	Acquisition				
function, rel	impact on fit, form, iability, product nufacturability:	The device has been qualified and validated based on the same Product Specification. The device has successfully passed the qualification tests. Potential impacts can be identified, but due to testing performed by onsemi in relation to the PCN, associated risks are verified and excluded. No anticipated impacts.				
Sites Affecte	d:					
onsemi Sites External Foundry/Subcon Sites						
onsemi Pocate	ello Idaho, United States	None				
Marking of P Change:	Parts/ Traceability of	Affected parts with this change will be identified by date code				
-	ata Summary: AME : SESD9L5.0ST5G : L76922 : SOD923					
Test	Specification			Condition	Interval	Results
	150500 4400		T 450		204.01	0/004

Test	Specification	Condition	Interval	Results
HTRB	JESD22-A108	Ta = 150°C, 100% max rated V	2016 hrs	0/231
HTSL	JESD22-A103	Ta = 150°C	2016 hrs	0/231
TC	JESD22-A104	Ta = -65°C to +150°C	1000 cyc	0/231
HAST	JESD22-A110	130°C, 85% RH, 18.8psig, bias	192 hrs	0/231
uHAST	JESD22-A118	130°C, 85% RH, 18.8psig, unbiased	96 hrs	0/231
PC	J-STD-020, JESD22-A113	MSL 1 @ 260°C		-
RSH	JESD22-B106	Ta = 265°C, 10 sec	-	0/30

#### NOTE: AEC-1pager is attached.

To view attachments:

1. Download pdf copy of the PCN to your computer

2. Open the downloaded pdf copy of the PCN

3. Click on the paper clip icon available on the menu provided in the left/bottom portion of the screen to reveal the Attachment field

4. Then click on the attached file.

### **Electrical Characteristics Summary:**

Electrical characteristics are not impacted.



#### List of Affected Parts:

**Note:** Only the standard (off the shelf) part numbers are listed in the parts list. Any custom parts affected by this PCN are shown in the customer specific PCN addendum in the PCN email notification, or on the **PCN Customized Portal**.

Current Part Number	New Part Number	Qualification Vehicle	
SZESD9R3.3ST5G	NA	SESD9L5.0ST5G	
SZESD9M5.0ST5G	NA	SESD9L5.0ST5G	
SESD9L5.0ST5G	NA	SESD9L5.0ST5G	



# Appendix A: Changed Products

Product	Customer Part Number	Qualification Vehicle	New Part Number	Replacement Supplier
SZESD9R3.3ST5G		SESD9L5.0ST5G	NA	
SESD9L5.0ST5G		SESD9L5.0ST5G	NA	