

**Information Letter Number:** 213702**Date:** 14.9.2021**Title:** Update of datasheet SGP40**Product Identification:** SGP40-D-R4 (3.000.384)**Reason for Change:** Design Production Logistics Manufacturing Location Quality/Reliability Upgrade**Change Description:**

In the Infoletter211901, Sensirion has informed about the change of timing of the built-in self-test command of SGP40 and the redefinition of the min/max limits of sensor performance. The updated datasheet v1.1 reflects those changes. Please, also note that the names of the commands have been slightly adapted without affecting the function of the interface itself. Furthermore, a command has been added to read out the sensor's serial number which can also be used for sensors which have already been purchased. A detailed description of all changes can be found in the revision history at the end of the datasheet.

Important to note: despite the change of the timing of the built-in self-test command, form, fit, and function of the SGP40 remain unaffected.

**Identification Method to Distinguish Change:**

None.

**Samples:** available will be available in not applicable**Quantifiable Impact on Quality & Reliability:**

None.

**Estimated Implementation Date\*:** 14.9.2021

\* The Estimated Implementation Date is the forecasted date that a customer may expect to receive changed product. This may be affected by fluctuations in supply and demand.

**Sensirion Contact:** [info@sensirion.com](mailto:info@sensirion.com) and/or Key Account Manager

If you have questions with regard to this Information Letter, please send them to the Sensirion contact e-mail address listed above.