CN Number:	201701170	01	PCN Date:	Mar		., 201	. /	
tle: Datasheet f	for TCA9534							
stomer Contact:	PCN Manager			D	ept:		Quality Ser	vices
nange Type:								
Assembly Site		Design			) V	Vafer	Bump Site	
Assembly Proces	S	🔀 Data She	eet		] V	/afer	Bump Mate	rial
Assembly Materi	als	Part num	nber change		] V	/afer	Bump Proce	ess
Mechanical Spec		Test Site					Fab Site	
Packing/Shippin	g/Labeling	Test Proc	cess		V	lafer	Fab Materia	ls
					V	lafer	Fab Process	5
		Notificati	on Details					
escription of Char exas Instruments In								
Texas Instruments							TCA95	-
			SCPS197C	-SEPTEN	IBER 2	2014-RE	VISED FEBRUARY 2	
Changes from Revision B	(November 2016) to	Pevicion C					D	
		Nevision C					Pa	ge
Added MAX value: 2000	) to V <sub>CC_FT</sub> and V <sub>CC_RT</sub>	r in Recommende					able	27
	) to V <sub>CC_FT</sub> and V <sub>CC_RT</sub>	r in Recommende					able	27
Added MAX value: 2000 Changed V <sub>CC_TRR</sub> MIN v	) to $V_{CC_{FT}}$ and $V_{CC_{RT}}$ value from: "2" to: "1" i	<sub>τ</sub> in <i>Recommende</i> in <i>Recommended</i>					able	27 27
Added MAX value: 2000 Changed V <sub>CC_TRR</sub> MIN v Changes from Revision A	) to V <sub>CC_FT</sub> and V <sub>CC_RT</sub> value from: "2" to: "1" (September 2014) to	<sub>τ</sub> in Recommende in Recommended ο Revision B	Supply Sequencing	and Rai	mp R	ates tat	ableble	27 27 ge
Added MAX value: 2000 Changed V <sub>CC_TRR</sub> MIN v Changes from Revision A Updated the <i>Description</i>	) to $V_{CC_{FT}}$ and $V_{CC_{RT}}$ ralue from: "2" to: "1" i (September 2014) to	₁ in Recommende in Recommended o Revision B	Supply Sequencing	and Rai	mp R	ates tal	able ble Pa	27 27 ge 1
Added MAX value: 2000 Changed V <sub>CC_TRR</sub> MIN v Changes from Revision A	) to V <sub>CC_FT</sub> and V <sub>CC_RT</sub> ralue from: "2" to: "1" i (September 2014) to	<sub>r</sub> in Recommende in Recommended o Revision B	Supply Sequencing	and Ra	mp R	ates tab	able ble Pa	27 27 ge 1 1
Added MAX value: 2000 Changed V <sub>CC_TRR</sub> MIN v Changes from Revision A Updated the <i>Descriptior</i> Added DW package	to V <sub>CC_FT</sub> and V <sub>CC_RT</sub> value from: "2" to: "1" i (September 2014) to section	<sub>τ</sub> in Recommende in Recommended o Revision B	Supply Sequencing	and Ra	mp R	ates tab	able ble Pa	27 27 27 1 1 5
Added MAX value: 2000 Changed V <sub>CC_TRR</sub> MIN v Changes from Revision A Updated the <i>Descriptior</i> Added DW package Corrected ESD ratings t	to V <sub>cc_FT</sub> and V <sub>cc_RT</sub> value from: "2" to: "1" i (September 2014) to section to reflect ± ratings erformance	T in Recommende in Recommended o Revision B	Supply Sequencing	and Rai	mp R	ates tab	able ble Pa	27 27 1 1 5 5
Added MAX value: 2000 Changed V <sub>CC_TRR</sub> MIN v Changes from Revision A Updated the <i>Descriptior</i> Added DW package Corrected ESD ratings t VIH values, improved p	to V <sub>CC_FT</sub> and V <sub>CC_RT</sub> ralue from: "2" to: "1" i (September 2014) to section	T in Recommender in Recommended o Revision B	I Supply Sequencing	and Rai	mp R	ates tab	able ble Pa	27 27 1 1 5 5 . 5
Added MAX value: 2000 Changed V <sub>CC_TRR</sub> MIN v Changes from Revision A Updated the <i>Description</i> Added DW package Corrected ESD ratings to VIH values, improved po Made changes to I <sub>oL</sub> in	to V <sub>CC_FT</sub> and V <sub>CC_RT</sub> value from: "2" to: "1" i (September 2014) to section	r in Recommender in Recommended o Revision B	ns table	and Rai	mp R	ates tal	able ble Pa	227 227 1 1 5 5 6
Added MAX value: 2000 Changed V <sub>CC_TRR</sub> MIN v Changes from Revision A Updated the <i>Description</i> Added DW package Corrected ESD ratings t VIH values, improved pu Made changes to I <sub>oL</sub> in Changed V <sub>PORR</sub> limits Changed V <sub>OH</sub> at V <sub>CC</sub> = 1 Updated I <sub>OL</sub> in the <i>Elect</i>	to V <sub>CC_FT</sub> and V <sub>CC_RT</sub> ralue from: "2" to: "1" i (September 2014) to r section	r in Recommender in Recommended o Revision B	Number Sequencing	and Rai	mp R	ates tab	able ple Pa	227 227 1 1 5 5 5 6 6 6
Added MAX value: 2000 Changed V <sub>CC_TRR</sub> MIN v Changes from Revision A Updated the <i>Description</i> Added DW package Corrected ESD ratings to VIH values, improved pu Made changes to I <sub>oL</sub> in Changed V <sub>PORR</sub> limits Changed V <sub>PORR</sub> limits Changed V <sub>OH</sub> at V <sub>CC</sub> = 1 Updated I <sub>oL</sub> in the <i>Elect</i> Changed I <sub>CC</sub> in the <i>Elect</i>	the Recommended O 1.65 V	r in Recommender in Recommended o Revision B Operating Condition able	Number Sequencing	and Rai	mp R	ates tab	able ple Pa	227 227 1 1 5 5 6 6 6 6 7
Added MAX value: 2000 Changed V <sub>CC_TRR</sub> MIN v Changes from Revision A Updated the <i>Description</i> Added DW package Corrected ESD ratings t VIH values, improved pu Made changes to I <sub>oL</sub> in Changed V <sub>PORR</sub> limits Changed V <sub>OH</sub> at V <sub>CC</sub> = 1 Updated I <sub>OL</sub> in the <i>Elect</i>	the Recommended O 1.65 V	r in Recommender in Recommended o Revision B Operating Condition able	Number Sequencing	and Rai	mp R	ates tab	able ple Pa	227 227 1 1 5 5 6 6 6 6 7
Added MAX value: 2000 Changed $V_{CC_TRR}$ MIN v Changes from Revision A Updated the <i>Description</i> Added DW package Corrected ESD ratings t VIH values, improved por Made changes to $I_{OL}$ in Changed $V_{PORR}$ limits Changed $V_{OH}$ at $V_{CC}$ = 1 Updated $I_{OL}$ in the <i>Elect</i> Changed $I_{CC}$ in the <i>Elect</i> Deleted $\Delta I_{CC}$ parameter Increased the pin capace	to V <sub>CC_FT</sub> and V <sub>CC_RT</sub> (September 2014) to a section	r in Recommender in Recommended o Revision B	ns table	and Rai	mp R	ates tab	able ple Pa	<b>ge</b> 1 1 5 5 6 6 6 7 7 7
Added MAX value: 2000 Changed V <sub>CC_TRR</sub> MIN v Changes from Revision A Updated the <i>Description</i> Added DW package Corrected ESD ratings to VIH values, improved pu Made changes to I <sub>oL</sub> in Changed V <sub>PORR</sub> limits Changed V <sub>PORR</sub> limits Changed V <sub>OH</sub> at V <sub>CC</sub> = 1 Updated I <sub>oL</sub> in the <i>Elect</i> Changed I <sub>CC</sub> in the <i>Elect</i> Deleted ΔI <sub>CC</sub> parameter Increased the pin capac Updated graphs in <i>Typi</i>	to V <sub>CC_FT</sub> and V <sub>CC_RT</sub> (September 2014) to a section	r in Recommender in Recommended o Revision B	ns table	and Rai	mp R	ates tab	able ple Pa	<b>ge</b> 1 1 5 5 6 6 6 7 7 7 9
Added MAX value: 2000 Changed $V_{CC_{TRR}}$ MIN v Changes from Revision A Updated the <i>Description</i> Added DW package Corrected ESD ratings to VIH values, improved per Made changes to $I_{OL}$ in Changed $V_{PORR}$ limits Changed $V_{OH}$ at $V_{CC}$ = 1 Updated $I_{OL}$ in the <i>Elect</i> Changed $I_{CC}$ in the <i>Elect</i> Deleted $\Delta I_{CC}$ parameter Increased the pin capace	to V <sub>CC_FT</sub> and V <sub>CC_RT</sub> (September 2014) to a section	r in Recommender in Recommended o Revision B	ns table	and Rai	mp R	ates tab	able ple Pa	<b>ge</b> 1 1 5 5 6 6 6 7 7 7 9
Added MAX value: 2000 Changed V <sub>CC_TRR</sub> MIN v Changes from Revision A Updated the <i>Description</i> Added DW package Corrected ESD ratings to VIH values, improved pu Made changes to I <sub>oL</sub> in Changed V <sub>PORR</sub> limits Changed V <sub>PORR</sub> limits Changed V <sub>OH</sub> at V <sub>CC</sub> = 1 Updated I <sub>oL</sub> in the <i>Elect</i> Changed I <sub>CC</sub> parameter Increased the pin capacity Updated graphs in <i>Typi</i>	) to V <sub>CC_FT</sub> and V <sub>CC_RT</sub> ralue from: "2" to: "1" i (September 2014) to a section	r in Recommender in Recommended o Revision B Operating Condition able	I Supply Sequencing	and Rai	mp R	ates tab	able ple Pa	<b>ge</b> 1 1 5 5 6 6 6 7 7 7 7 9 17
Added MAX value: 2000 Changed $V_{CC_{TRR}}$ MIN v Changes from Revision A Updated the <i>Description</i> Added DW package Corrected ESD ratings to VIH values, improved per Made changes to I <sub>OL</sub> in Changed V <sub>PORR</sub> limits Changed V <sub>PORR</sub> limits Changed V <sub>OH</sub> at V <sub>CC</sub> = 1 Updated I <sub>OL</sub> in the <i>Elect</i> Changed I <sub>CC</sub> parameter Increased the pin capac Updated graphs in <i>Typi</i> Updated <i>Interrupt Outpot</i>	0 to V <sub>CC_FT</sub> and V <sub>CC_RT</sub> ralue from: "2" to: "1" i (September 2014) to a section	r in Recommended in Recommended o Revision B Operating Condition able table haracteristics table creased typical ction and Power Dissig	ns table	and Rai	mp R	ates tab	able ple Pa	<b>ge</b> 1 1 5 5 6 6 6 6 7 7 7 9 17 25
Added MAX value: 2000 Changed $V_{CC_{TRR}}$ MIN v Changes from Revision A Updated the Description Added DW package Corrected ESD ratings to VIH values, improved per Made changes to $I_{OL}$ in Changed $V_{PORR}$ limits Changed $V_{OH}$ at $V_{CC}$ = 1 Updated $I_{OL}$ in the Elect Changed $I_{CC}$ in the Elect Deleted $\Delta I_{CC}$ parameter Increased the pin capaci Updated Interrupt Output Added the Calculating J	to V <sub>CC_FT</sub> and V <sub>CC_RT</sub> (September 2014) to a section	r in Recommender in Recommended o Revision B	ns table	and Rai	mp R	ates tab	able ple Pa	<b>ge</b> 1 1 5 5 6 6 6 6 7 7 7 9 17 25 27
Added MAX value: 2000 Changed $V_{CC_{TRR}}$ MIN v Changes from Revision A Updated the <i>Description</i> Added DW package Corrected ESD ratings to VIH values, improved pe Made changes to I <sub>OL</sub> in Changed V <sub>PORR</sub> limits Changed V <sub>PORR</sub> limits Changed V <sub>OH</sub> at V <sub>CC</sub> = 1 Updated I <sub>OL</sub> in the <i>Elect</i> Changed I <sub>CC</sub> parameter Increased the pin capac Updated graphs in <i>Typi</i> Updated Interrupt Output Added the <i>Calculating J</i> Added V <sub>CC_MV</sub> to Table 3	) to V <sub>CC_FT</sub> and V <sub>CC_RT</sub> ralue from: "2" to: "1" i (September 2014) to a section	r in Recommender in Recommended o Revision B	ns table	and Rai	mp R	ates tab	able ple Pa	<b>ge</b> 1 1 5 5 6 6 6 6 7 7 7 9 17 25 27
Added MAX value: 2000 Changed $V_{CC_{TRR}}$ MIN v Changes from Revision A Updated the Description Added DW package Corrected ESD ratings to VIH values, improved per Made changes to I <sub>oL</sub> in Changed V <sub>PORR</sub> limits Changed V <sub>OH</sub> at V <sub>CC</sub> = 1 Updated I <sub>oL</sub> in the Elect Changed I <sub>CC</sub> in the Elect Deleted $\Delta I_{CC}$ parameter Increased the pin capac Updated Interrupt Output Added the Calculating J Added V <sub>CC_MV</sub> to Table	) to V <sub>CC_FT</sub> and V <sub>CC_RT</sub> ralue from: "2" to: "1" i (September 2014) to a section	r in Recommender in Recommended o Revision B	ns table	and Rai	mp R		able ple Pa	<b>ge</b> 1 1 5 5 6 6 6 6 7 7 7 9 17 25 27

These changes may be reviewed at the datasheet links provided. <u>http://www.ti.com/product/TCA9534</u>

## **Reason for Change:**

To accurately reflect device characteristics.

Anticipated impact on Fit, Form, Function, Quality or Reliability (positive / negative):						
No anticipated impact. This is a specification change announcement only. There are no changes						
to the actual device.						
Changes to product identification resulting from this PCN:						
None.						
Product Affected:						
TCA9534DWR	TCA9534DWT	TCA9534PWR				

For questions regarding this notice, e-mails can be sent to the regional contacts shown below or your local Field Sales Representative.

Location	E-Mail
USA	PCNAmericasContact@list.ti.com
Europe	PCNEuropeContact@list.ti.com
Asia Pacific	PCNAsiaContact@list.ti.com
Japan	PCNJapanContact@list.ti.com