|                             | CONNECTING<br>CS INDUSTRIES<br>CS INDUSTRIES<br>CS INDUSTRIES | PC, Bannockb | ourn, Illinois. A               | All rights reserved u ntions. | nder both               | This docume<br>level parts, th  | ent is a declarat<br>he declaration | ion of the ncompared         | ne substances<br>asses all low | s within the<br>er level ma | e manufactur<br>terials for wl  | er listed it<br>hich the m | em. Note: i<br>anufacture | if the item is an as<br>r has engineering | ssembly with lowe<br>responsibility. |
|-----------------------------|---|--------------|---------------------------------|-------------------------------|-------------------------|---|-------------------------------------|------------------------------|--------------------------------|-----------------------------|---------------------------------|----------------------------|---------------------------|---|--------------------------------------|
| 1752-21.1                   |   |              |                                 |                               | Form Type<br>Distribute | <ul> <li>Declaration Class *</li> <li>Class 6 - RoHS Yes/No, Homogeneous Mater</li> </ul> |                                     |                              |                                |                             | eous Materia                    | als and Mfg Information    |                           |   |                                      |
| Supplie                     | r Information   |              |                                 |                               |                         |   |                                     |                              |                                |                             |                                 |                            |                           |   |                                      |
| Company                     | name*   | Company un   | Company unique ID               |                               |                         | Unique ID Authority   |                                     |                              |                                |                             | Response Date*                  |                            |                           |   |                                      |
| onsemi                      |   |              |                                 |                               |                         |   |                                     |                              |                                |                             |                                 | 2023-06-08                 |                           |   |                                      |
| Contact N                   | lame  |              | Title - Contact                 |                               |                         | ]   | Phone - Contact*                    |                              |                                |                             | Email - Contact*                |                            |                           |   |                                      |
| Product-Env-Stewards        |   |              | Product Enviro Compliance       |                               |                         |   | NA                                  |                              |                                |                             | Product-Env-Stewards@onsemi.com |                            |                           |   |                                      |
| uthorize                    | ed Representative*  |              | Title - Representative          |                               |                         | 1   | Phone - Representative*             |                              |                                |                             | Email - Representative*         |                            |                           |   |                                      |
| Product-Env-Stewards        |   |              | Product Enviro Compliance       |                               |                         |   | NA                                  |                              |                                |                             | Product-Env-Stewards@onsemi.com |                            |                           |   |                                      |
|                             | Requester Item Number     Mfr Iten       MC7805               |              |                                 |                               |                         |   | Effective Date                      | e Version Manufacturing Site |                                | V                           | Veight*                         | UOM                        | Unit Type                 |   |                                      |
|                             |   |              |                                 |                               |                         |   | 2023-06-08 MY1                      |                              |                                | 1365.61                     |                                 | mg                         | Each                      |   |                                      |
| /Ianufa                     | cturing Proccess Informa                                      | tion         |                                 |                               |                         |   |                                     |                              |                                |                             |                                 |                            |                           | L   |                                      |
|                             | Terminal Plating / Grid Array Material                        |              | Ferminal Base Alloy J-STD-020 M |                               | -STD-020 MS             | L Rating  | Peak Process Body Temperat          |                              | ure Max Time at Peak Ter       |                             | Temperatu                       | are Numb                   | per of Reflow Cyc         | cles                                      |                                      |
| Matte Tin (Sn) - annealed ( |   |              | CU Alloy NA                     |                               |                         |   | 0 C 30                              |                              |                                |                             | seconds 3                       |                            |                           |   |                                      |
| omments                     | 8   |              |                                 |                               |                         |   |                                     |                              |                                |                             |                                 |                            |                           |   |                                      |
|                             |   |              |                                 |                               |                         |   |                                     |                              |                                |                             |                                 |                            |                           |   |                                      |
| or more                     | information regarding material                                | composition  | please refer to                 | page 3                        |                         |   |                                     |                              |                                |                             |                                 |                            |                           |   |                                      |

| RoHS Material Composition Declaration  |  |  |   | Declaration Type *  | Detailed  |  |  |  |  |
|--|--|--|---|---|---|--|--|--|--|
| Directive 2015/863/EU amending RoHS<br>Directive 2011/65/EU  |  | mium (Cr6+), Polybrominated Biphenyls (Pl  |   | dmium and quantity limit of 0.1% by mass (10<br>minated Diphenyl Ethers (PBDE), and Bis(2-et  |   |  |  |  |  |
| cadmium, hexavalentchromium, polybromina<br>contains a RoHS restricted substance inexces<br>encompass all such components. Supplier cer<br>as of the date that Supplier completes this for<br>Company acknowledges that Supplier may h<br>independently verified information provided<br>certification in this paragraph. If the Company | ated biphenyls and/or polybrominated dip<br>s of an applicable quantity limit, please in<br>iffies that it gathered the information it pr<br>m.Supplier acknowledges that Company<br>ave relied on informationprovided by oth<br>by others, Supplier agrees that, at a minir<br>and the Supplier enter into a written agr<br>esource of the Supplier's liability and the | henyl ethers (each a "RoHS restricted substa<br>ndicate below which, if any, RoHS exemption<br>ovides in this form using appropriate methoo<br>will rely on this certification in determining<br>ers in completing this form, and that Supplie<br>num, itssuppliers have provided certification<br>eement with respect to the identified part, the<br>Company's remedies for issues that arise reg | nce") in exco<br>n you believe<br>ls to ensure i<br>the compliar<br>r may not ha<br>s regarding t<br>terms and co | e may apply. If the part is an assembly with low<br>s accuracy and that such information is true an<br>ce of its products with European Union member<br>de independently verified such information. Ho<br>neir contributions to the part, and those certifica | ove. If a homogeneous material within the part<br>er level components, the declaration shall<br>d correct to the best of its knowledge and belief,<br>er state laws that implement the RoHS Directive.<br>wever, in situations where Supplier has not<br>ations are at least as comprehensive as the<br>anty rights and/or remedies provided as part of |  |  |  |  |
| RoHS Declaration * 4 - Item(   | s) does not contain RoHS restricted subst  | ances per the definition above except for sele   | ected exempt  | ions Supplier Acceptance  | * Accepted  |  |  |  |  |
| Exemption: 7a: Lead in high melting temp   | erature type solders (i.e. lead based sol  | der alloys containing 85% by weight or m   | ore lead).  |   |   |  |  |  |  |
| Exemption List Version   | EL-2011/534/EU   |  |   |   |   |  |  |  |  |
| Declaration Signature  |  |  |   |   |   |  |  |  |  |
| Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.                        |  |  |   |   |   |  |  |  |  |
| Supplier Digital Signature   | astislav Drska   | Le   |   |   |   |  |  |  |  |

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

| sigma range of distribution unless otherwise noted). |        |                 |          |                              |                  |        |          |                 |  |  |
|--|--------|-----------------|----------|------------------------------|------------------|--------|----------|-----------------|--|--|
| Homogeneous Material                                 | Weight | Unit of Measure | Level    | Substance                    | CAS              | Exempt | Weight   | Unit of Measure |  |  |
| Die  | 1.61   | mg              | Supplier | Silicon (Si)                 | 7440-21-3        |        | 1.61     | mg              |  |  |
| Die Attach   | 0.21   | mg              | А        | Lead (Pb)                    | 7439-92-1        | 7a     | 0.1995   | mg              |  |  |
|  |        |                 | Supplier | Tin (Sn)                     | 7440-31-5        |        | 0.0105   | mg              |  |  |
| Lead Frame   | 677.24 | mg              | В        | Nickel (Ni)                  | 7440-02-0        |        | 0.3386   | mg              |  |  |
|  |        |                 | Supplier | Iron (Fe)                    | 7439-89-6        |        | 0.6772   | mg              |  |  |
|  |        |                 | Supplier | Copper (Cu)                  | 7440-50-8        |        | 676.0209 | mg              |  |  |
|  |        |                 | Supplier | Phosphorus (P)               | 7723-14-0        |        | 0.2032   | mg              |  |  |
| Mold Compound-Black                                  | 644.0  | mg              |          | Phenolic Resin               | proprietary data |        | 38.64    | mg              |  |  |
|  |        |                 | Supplier | Ortho Cresol Novolac Resin   | 29690-82-2       |        | 64.4     | mg              |  |  |
|  |        |                 | Supplier | Carbon Black (C)             | 1333-86-4        |        | 3.22     | mg              |  |  |
|  |        |                 | Supplier | Aluminum Hydroxide (Al(OH)3) | 21645-51-2       |        | 48.3     | mg              |  |  |
|  |        |                 | Supplier | Fused Silica (SiO2)          | 60676-86-0       |        | 489.44   | mg              |  |  |
| Plating  | 42.4   | mg              | Supplier | Tin (Sn)                     | 7440-31-5        |        | 42.4     | mg              |  |  |
| Wire Bond - Cu                                       | 0.15   | mg              | Supplier | Copper (Cu)                  | 7440-50-8        |        | 0.15     | mg              |  |  |

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3