ASOCIATION CONNECTING ELECTRONICS INDUSTRIES® INTERNATION INC. INC. INC. INC. INC. INC. INC. INC	kburn, Illinois. A	Il rights reserved untions.	nder both	This docume level parts, t	ent is a declara he declaration	tion of the s encompass	substances es all low	s within the manufactu er level materials for w	rer listed i which the r	tem. Note: i nanufacturer	f the item is an as has engineering	ssembly with lower responsibility.
	IPC Web Site for Information on IPC-1752 Standard Form Typ http://www.ipc.org/IPC-175x Distribute			*	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi				als and Mfg Information			
Supplier Information												
Company name* Company unique ID				Unique ID Authority					Response Date*			
Isemi									2023-06-08			
Contact Name	Name Title - Contact			1	Phone - Contact*				Email - Contact*			
luct-Env-Stewards Product Enviro Compliance					NA				Product-Env-Stewards@onsemi.com			
thorized Representative* Title - Representative				]	Phone - Representative*				Email - Representative*			
Product-Env-Stewards Product Enviro Compliance					NA				Product-Env-Stewards@onsemi.com			
Requester Item Number Mfr I	em Number	Mfr Item Name			Effective Dat	e Version	1	Manufacturing Site		Weight*	UOM	Unit Type
NC75	SVU04P5X ULP-A Unbuffered		ed Inverter		2023-06-08 CNS		CNS		5.9997	mg	Each	
Manufacturing Proccess Information												
Terminal Plating / Grid Array Material	Terminal Base Alloy		-STD-020 MSL	Rating	Peak Pro	cess Body ]	ss Body Temperature Max Time at Peak		Tempera	ture Numb	er of Reflow Cy	cles
Matte Tin (Sn) - annealed CU Alloy 1			1		260		С	30	secor	nds 3		
Comments												
level 1 - maximum time at peak temperature during	soldering is 10-3	0 seconds										
For more information regarding material compositi	on please refer to	page 3										

RoHS Material Composition Declaration				Declaration Type *	Detailed					
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).									
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of					
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted					
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all					
Exemption List Version	EL-2011/534/EU									
Declaration Signature										
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the					
Supplier Digital Signature Ra	stislav Drska	Le								

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	nogeneous Material Weight Unit of Measure		Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.2027	mg	Supplier	Silicon (Si)	7440-21-3		0.2027	mg
Die Attach	0.0202	mg	Supplier	Silver (Ag)	7440-22-4		0.0139	mg
			Supplier	Phenolic Resin-2	54208-63-8		0.0063	mg
Lead Frame 3.29	3.2956	mg	Supplier	Zinc (Zn)	7440-66-6		0.0042	mg
			Supplier	Iron (Fe)	7439-89-6		0.0781	mg
			Supplier	Copper (Cu)	7440-50-8		3.2106	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0027	mg
Mold Compound-Black 2	2.4264	mg	Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.256	mg
			Supplier	Carbon Black (C)	1333-86-4		0.0133	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		2.0843	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.0728	mg
Plating	0.0244	mg	Supplier	Palladium (Pd)	7440-05-3		0.001	mg
			В	Nickel (Ni)	7440-02-0		0.0232	mg
			Supplier	Gold (Au)	7440-57-5		0.0002	mg
Wire Bond - Au	0.0304	mg	Supplier	Gold (Au)	7440-57-5		0.0304	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signa range of distribution unless otherwise noted).